Issued: 1/15/2008 Page 1 of 9



State of Idaho

Rental / Full Maintenance

Attachment (A) to Ricoh Master Pricing Agreement

Contract No.

					Cost per Copy	Combo CPC
	Equipment		Rental	Rental	Ricoh Service	Ricoh Service &
	and Options	Reorder	12 Monthly	36 Monthly	Supplies	Supplies
Category	Prices Per Unit	Number	Payments	Payments	Not Included	Per Copy Charge
1A	Ricoh Aficio MP 161**	413606	\$23.83	\$22.64	\$0.0050	\$0.0072
	Ricoh Aficio MP 161spf**	413613	\$36.72	\$34.88	\$0.0050	\$0.0072
	Cabinet, Type FAC19	411136	2.93	2.78	-	-
	Network Connection:					
	Printer Scanner Unit Type 161**	413639	14.34	13.62	-	-
	Additional Copier Options:					
	+ PS480 Paper (500x1) Bank**	410905	6.23	5.92	-	-
	Printer Options:					
	PostScript3 Unit Type 161	413646	8.81	8.37	-	-
	+ IEEE1284	411699	1.79	1.70	-	-
	IEEE802.11b Wireless LAN Type D	411700	10.42	9.90	-	-
	IEEE1394 Interface Board Type B	411264	8.86	8.42	-	-
	Bluetooth Interface Type 3245	412866	8.40	7.98	-	
	Fax Option: Handset Type 1018	410781	1.17	1.11	_	_
1B	Ricoh Aficio MP 1600**	413566	\$31.24	\$29.68	\$0.0050	\$0.0072
	+ ADF DF2000**	412741	8.76	8.32	-	
	Large Cabinet (FAC16)	411065	2.85	2.71	-	
	Network Connection:					
	+ Print/Scan Kit Type 2000	002903MIU	15.96	15.16	-	
	Additional Copier Options:					
	Platen Cover Type 1018	412524	1.73	1.64	-	
	+ PS460 (500 x 1) Paper Bank	412560	7.25	6.89	-	-
	+ Medium Cabinet (FAC15)	411064	<u>3.42</u>	<u>3.25</u>	-	
			\$10.67	\$10.14		
	PS450 (500 x 2) Paper Bank	412557	18.61	17.68	-	
	Small Cabinet (FAC17)	411066	<u>3.34</u>	<u>3.17</u>	-	
			\$21.95	\$20.85		
	Fax Options:					
	+ Fax Kit Type 2000**	413573	11.79	11.20	-	-
	Handset Type 1018	410781	1.17	1.11	-	
	PT340 1 Bin Tray**	412657	4.54	4.31	-	
	Print/Scan Option Accessories				-	
	All in One Kit Type 2000	002904MIU	18.87	17.93	-	
	+ PostScript3 Unit Type 2000	413288	8.81	8.37	-	
	+ IEEE1284	411699	1.79	1.70	-	
	IEEE802.11b Interface Unit Type H**	402378	9.51	9.03	-	
	Bluetooth Interface Type 3245	412866	8.40	7.98	-	

Issued: 1/15/2008 Page 2 of 9



State of Idaho

Rental / Full Maintenance

Attachment (A) to Ricoh Master Pricing Agreement

Contract No.

					Cost per Copy	Combo CPC
	Equipment		Rental	Rental	Ricoh Service	Ricoh Service &
	and Options	Reorder	12 Monthly	36 Monthly	Supplies	Supplies
Category	Prices Per Unit	Number	Payments	Payments	Not Included	Per Copy Charge
2	Ricoh Aficio MP 2510 Copier	413466	\$62.86	\$59.72	\$0.0050	\$0.0072
	+ DF83**	412393	16.36	15.54	-	
	FAC20 Cabinet	411158	3.19	3.03	-	
	Network Connection:					
	+ Printer Scanner Unit Type 3010	002832MIU	28.34	26.92	-	
	Additional Copier Options:		. ==			
	Platen Cover Type 1018	412524	1.73	1.64	-	
	+ PS490 Paper Tray Unit (2x500)	412520	22.13	21.02	-	
	PS500 Large Capacity Tray	410958	25.52	24.24	-	
	+ SR820 500 Sheet Finisher	412522	18.20	17.29	_	
	+ Bridge Unit 1027**	412527	3.89	3.70	_	
	+ Blidge Offic 1027	412321	\$22.09	\$20.99	_	_
	+ SR790 1,000 Sheet Finisher**	412730	18.13	17.22	_	
	+ Bridge Unit 1027**	412527	3.89	3.70	_	
	1 Bridge Offic 1027	412321	\$22.02	\$20.92		
			,	V		
	+ PT280 1-Bin Tray	412533	5.67	5.39	-	
	+ Hard Disk Drive Option Type 3030	412311	6.35	6.03	-	
	+ Type 1027 Internal Shift Sort Tray	412535	5.67	5.39	-	
	+ Type 1027 Key Counter Bracket	412537	1.96	1.86	-	
	Fax Options:					
	+ Fax Option Type 3030	412619	20.52	19.49	-	
	G3 Interface Unit Type 3030	412318	12.17	11.56	-	
	32MB Memory 400dpi/SAF	001342MIU	3.52	3.34	-	
	Handset Type 1018	410781	1.17	1.11	-	
	Printer/Scanner Options:					
	PostScript Type 3010	413409	10.80	10.26	-	
	File Format Converter Type B	411400	11.21	10.65	-	
	Bluetooth Interface Type 3245	412866	8.40	7.98	-	
	IEEE802.11b Interface Unit Type H**	402378	9.51	9.03	-	
	IEEE1394 Interface Board Type B	411264	8.86	8.42	-	
	IEEE1284	411699	1.79	1.70	-	-
	Special Options	400070	2.07	2.00		
	User Account Enhance Unit Type E DataOverwriteSecurity System (DOSS) Type D	402270 412152	3.37 6.85	3.20 6.51	-	-
3	Ricoh Aficio MP 3500**	413496	\$109.47	\$104.00	\$0.0046	\$0.0065
	+ PS530 Paper Tray Unit	412541	20.69	19.66	ψυ.υυ- τ υ -	
	+ SR790 1,000 Sheet Finisher**	412730	18.13	17.22	-	
	+ Bridge Unit Type 2045**	412553	2.08	1.98	-	
				,-		
	+ Printer Scanner Unit Type 4500	002883MIU	29.03	27.58	-	
	(Token Ring)					
	+ Printer Scanner Unit Type 4500	002883MIU	29.03	27.58	-	
	PostScript Type 4500	413457	16.18	15.37	-	
	(Apple Talk)					
	+ PT/15 Large Capacity Tray	411339	10 7F	13.06		
	+ RT45 Large Capacity Tray	411339	13.75	13.06	-	-

Issued: 1/15/2008 Page 3 of 9



State of Idaho

Rental / Full Maintenance

Attachment (A) to Ricoh Master Pricing Agreement

Contract No.

					Cost per Copy	Combo CPC
	Equipment		Rental	Rental	Ricoh Service	Ricoh Service &
	and Options	Reorder	12 Monthly	36 Monthly	Supplies	Supplies
Category	Prices Per Unit	Number	Payments	Payments	Not Included	Per Copy Charge
4	Ricoh Aficio MP 4500**	413541	\$141.84	\$134.75	\$0.0046	\$0.0065
	+ PS530 Paper Tray Unit	412541	20.69	19.66	-	
	+ SR790 1,000 Sheet Finisher**	412730	18.13	17.22	-	
	+ Bridge Unit Type 2045**	412553	2.08	1.98	-	
	,					
	+ Printer Scanner Unit Type 4500	002883MIU	29.03	27.58	-	
	(Token Ring)					
	+ Printer Scanner Unit Type 4500	002883MIU	29.03	27.58	-	
	PostScript Type 4500	413457	16.18	15.37	-	-
	(Apple Talk)					
	DT45 Lorge Conseils Troy	444220	10.75	12.00		
	+ RT45 Large Capacity Tray	411339	13.75	13.06	-	-
	Additional Copier Options Categories 3 & 4					
	SR880 Multi-Tray Finisher	411563	50.56	48.03	_	
	+ SR890 Booklet Finisher	412549	80.54	76.51	_	_
	2/3-Hole Punch Kit Type 1045	412543	13.87	13.18	_	
	+ FAC25 Cabinet	411491	3.75	3.56	_	
	+ PS530 Paper Tray Unit	412541	20.69	19.66	_	
	Special Options:					
	+ PT330 1-Bin Tray	412538	7.48	7.11	-	
	User Account Enhance Unit Type E	402270	3.37	3.20	-	
	+ Key Counter Bracket Type H	412552	1.53	1.45	-	
	File Format Converter Type B	411400	11.21	10.65	-	
	DataOverwriteSecurity System (DOSS) Type D	412152	6.85	6.51	-	
	Fax Options:					
	+ Fax Option Type 3045	412610	20.51	19.48	-	
	G3 Interface Unit Type 3045	412375	12.17	11.56	-	
	32MB Memory 400dpi/SAF	001342MIU	3.52	3.34	-	-
	Handset & Bracket Type 450	410124	1.28	1.22	-	
	Printer/Scanner Options:	400075		0.00		
	IEEE802.11b Interface Unit Type H**	402378	9.51	9.03	-	
	Bluetooth Interface Type 3245	412866	8.40	7.98	-	
	IEEE1394 Interface Board Type B IEEE1284	411264 411699	8.86 1.79	8.42 1.70	-	
5	Ricoh Aficio MP 5500	412766	\$182.87	\$173.73	\$0.0043	\$0.0062
	SR970 Staple Finisher**	413321	41.04	38.99	ψ0.00 -1 3	φ0.0002
	onor o otapie i illionor	410021	\$223.92	\$212.72		
			Ų	¥= :=:: 2		
	Print/Scan Unit Type 7500	002834MIU	33.67	31.99	-	
	(Token Ring)					
	Print/Scan Unit Type 7500	002834MIU	33.67	31.99	-	
	PostScript 3 Unit Type 7500	412916	29.67	28.19	-	
	(Apple Talk)					

Issued: 1/15/2008 Page 4 of 9



State of Idaho

Rental / Full Maintenance

Attachment (A) to

Ricoh Master Pricing Agreement

Contract No.

					Cost per Copy	Combo CPC
	Equipment		Rental	Rental	Ricoh Service	Ricoh Service &
	and Options	Reorder	12 Monthly	36 Monthly	Supplies	Supplies
Category	Prices Per Unit	Number	Payments	Payments	Not Included	Per Copy Charge
6	Ricoh Aficio MP 6500	412775	\$246.95	\$234.60	\$0.0041	\$0.0059
	SR970 Staple Finisher**	413321	<u>41.04</u>	<u>38.99</u>	-	
			\$287.99	\$273.59		
	Print/Scan Unit Type 7500	002834MIU	33.67	31.99	-	-
	(Token Ring)					
	Print/Scan Unit Type 7500	002834MIU	33.67	31.99	-	-
	PostScript 3 Unit Type 7500	412916	29.67	28.19	-	
	(Apple Talk)					
	Additional Copier Options Categories 5 & 6					
	RT43 LCT	411182	35.99	34.19	_	
	Finisher SR842	413310	88.11	83.70	_	
	SR4000 Booklet Finisher**	413319	80.54	76.51	_	
	Punch Unit Type 3260	412209	18.25	17.34	_	
	2/3-Hole Punch Kit Type 1075	411198	16.39	15.57	_	
	+ Cover Interposer Tray Type 3260	412213	19.78	18.79	_	
	Copy Tray Type 2075	412190	2.63	2.50	_	
	+ 8 1/2"x14" Tray Type 1075	411187	14.81	14.07	_	
	Type 1027 Key Counter Bracket	412537	1.96	1.86	_	
	Tab sheet Holder Type 3260	412203	0.82	0.78	_	
	A3/11"x17" Tray Unit Type 1075	411185	26.52	25.19	_	
	Card Rdr Bracket Type 1075	411203	2.20	2.09	_	
	Output Jogger Unit Type 3260	412212	7.29	6.93	_	
	Jogger Unit Type 1075	411206	6.53	6.20	_	
	+ File Format Converter Type C	412823	12.15	11.54	_	
	Copy Connector Kit Type MP 7500	412809	26.14	24.83	_	
	ZF4000 Z-Folding Unit	412805	145.67	138.39	-	
	USB Host Type A	412867	3.04	2.89	_	
	Data Overwrite Security Option Type C	411989	8.11	7.70	_	
	Java VM Card Type C	413210	2.44	2.32	-	
	Fax Options:			-		
	Fax Option Type 7500	413491	20.91	19.86	-	
	G3 Interface Unit Type 7500	413494	12.39	11.77	-	
	32MB Memory 400dpi/SAF	001342MIU	3.52	3.34	-	
	Printer/Scanner Options					
	Copy Data Security Unit Type C	412808	13.71	13.02	-	
	Browser Unit Type B	413083	2.74	2.60	-	
	9 Bin Mail Box CS391	412191	36.58	34.75	-	
	IEEE1284	411699	1.79	1.70	-	
	+ IEEE1394 Interface Board Type B	412995	8.86	8.42	-	
	IEEE802.11b Interface Unit Type H**	402378	9.51	9.03	-	
	Bluetooth Interface Type 3245	412866	8.40	7.98	-	
	Gigabite Ethernet	402302	9.23	8.77	-	

^{&#}x27;+ Ricoh recommended configuration for noted applications

Issued: 1/15/2008 Page 5 of 9



State of Idaho

Rental / Full Maintenance

Attachment (A) to

Ricoh Master Pricing Agreement

Contract No.

SBP01194

					Cost per Copy	Combo CPC
	Equipment		Rental	Rental	Ricoh Service	Ricoh Service &
	and Options	Reorder	12 Monthly	36 Monthly	Supplies	Supplies
Category	Prices Per Unit	Number	Payments	Payments	Not Included	Per Copy Charge

B/W DIGITAL SYSTEMS

Equipment Configuration Footnotes

Aficio MP 161/MP 161F/MP 161SPF Notes:

(1) MP161 Mainframe includes Legal Size PlatenGlass, 250 Sheet Paper Tray, 100 Sheet Bypass Tray, 16 MB Memory and ARDF

The MP 161 cannot be upgraded to include faxing.

(2) MP161F Mainframe includes Legal Size PlatenGlass, 250 Sheet Paper Tray, 100 Sheet Bypass Tray, 128 MB Memory, ARDF and

Fax capabilities. The MP 161F cannot be upgraded to include printing and scanning.

(3) MP 161 SPF Mainframe includes Legal Size PlatenGlass, 250 Sheet Paper Tray, 100 Sheet Bypass Tray, 384 MB Memory, ARDF and Print/Scan/Fax capabilities.

(4) Printer/Scanner Unit is available only for the Aficio MP 161 and includes PCL5e/6, RPCS Drivers, ScanRouter Lite, DesktopBinder Lite Software and TWAIN Driver.

(5) For 1284Interface, 802.11 linterface and Bluetooth interface, In addition to standard USB 2.0 and 10Base-T/100Base-TX Ethernet interfaces only 1 option may be installed in the controller board. Available for the MP 161SPF or MP 161 with print/scan kit or all-in-one kit only.

(6) IEEE1284 is a micro centronics 36 pin cable. Converter adapter is required to connect to a Centronics connector. The adapter is available through Service Parts (p/n B6795100).

(7) Postscript3 unit is required for Macintosh Enviornments, PostScript Printingor PDF Direct Print.

Available for the MP 161SPF or MP 161 with print/scan kit or all-in-one kit only.

(8) MP161SPF Standard Internet Fax (T.37), LAN Fax, IP-Fax (T.38) and Fax Forwarding to Email/Folder functions.

(9) Handset Type 1018 available only for the MP 161F and MP161SPF

The toner (885531) is compatible with the Aficio MP 161, MP 161F and MP 161SPF mainframes. However, it is not included with the mainframe purchase. Please order separately.

MP 1600/MP 2000 Series Notes:

- (1) MP1600 mainframe includes 1 x 250 Sheet Drawer, 16MB RAM & 100 Sheet Bypass.
- (2) MP1600SPF mainframe includes 1 x 250 Sheet Drawer, 384MB RAM, 100 Sheet Bypass and Print/Scan/Fax capabilities.
- (3) MP1600L mainframe includes 1 x 250 Sheet Drawer, 64MB RAM, 100 Sheet Bypass and PCL Print/TWAIN Scan capabilities.
- (4) MP2000 mainframe includes 2 x 250 Sheet Drawer, 16MB RAM, 100 Sheet Bypass & Duplex capability.
- (5) MP2000SPF mainframe includes 2 x 250 Sheet Drawer, 384MB RAM, 100 Sheet Bypass, Duplex capability, 1 Bin Tray and Print/Scan/Fax capabilities.
- (6) MP2000L mainframe includes 2 x 250 Sheet Drawer, 64MB RAM, 100 Sheet Bypass, Duplex capability and PCL Print/TWAIN Scan capabilities.
- (7) All MP1600 mainframes requires ADF DF2000 or Platen Cover Type 1018.
- (8) All MP2000 mainframes requires ADF DF2010, ADF 2000 or Platen Cover Type 1018.
- (9) FAC15 Cabinet recommended with PS460 Paper Bank.
- (10) FAC17 Cabinet recommended with PS450 Paper Bank.
- (11) Accessibility Handle Type A is for use on Mainframes. Only one can be ordered for the MP 1600 systems and a maximum of two for the MP 2000 systems.
- (12) Accessibilty Handle Type B is for use on Paper Banks. Only one can be ordered for the PS460 & a maximum of two for the PS450.
- (13) Fax Kit includes Feature Expansion Board Type 2000 with NIC, USB 2.0 and Fax Option. Only available for the MP 1600 and MP 2000.
- (14) PT340 1 Bin Tray has 100 Sheet Capacity, Compatible with the MP 2000 and MP 2000L. Standard on the MP 2000SPF.
- (15) Print Scan Kit includes Feature Expansion Board Type 2000 with NIC, USB2.0, 128MB Resident & 256MB DIMM, Print/Scan Option, PCL6, 5e, RPCS Drivers, ScanRouter Lite and DeskTopBinder Lite Software. Only available for the MP 1600 and MP 2000.
- (16) All in One Kit includes Feature Expansion Board Type 2000 with NIC, USB2.0, 128MB Resident & 256MB DIMM, Fax and Print/Scan Options, PCL6, 5e,
- RPCS Drivers, ScanRouter and DeskTopBinder Lite Software. Only available for the MP 1600 and MP 2000.
- (17) Postscript 3 Unit required for Macintosh Environments, PostScript Printing and PDF Direct Print.
- Only available for the MP 1600 SPF, MP 2000SPF, Print/Scan Kit or All in One Kit.
- (18) IEEE1284 is a micro centronics 36 pin cable. Converter adapter is required to connect to a Centronics connector.

The adapter is available through Service Parts (pn B6795100)

- (19) For Interface Board, interface Unit and Bluetooth Interace unit, in addition to standard USB2.0 and 10Base-T/100Base-TX Ethernet interfaces,
- only one option may be installed in the controller board.
- (20) For ADF, ARDF and Platen Cover you can only install one at a time.
- (21) PS450 or PS460 cannot be selected at the same time.
- (22) Handset is only available for the MP 1600SPF, MP 2000SPF, Fax Kit or All in One Kit.
- (23) Interface Board, Interface Unit and Bluetooth Interace unit are not available for the MP 1600L or MP 2000L.

Aficio MP 2510/MP 3010 Notes:

- (1) MP 2510 and MP 3010 Mainframes include standard 2 x 500 Trays, 100 Sheet Bypass, Interchange, Duplex & 128MB RAM
- (2) MP 2510P and MP 3010P Mainframes include standard 2 x 500 Trays, 100 Sheet Bypass, Interchange, Duplex, RPCS Printing & 384MB RAM

Issued: 1/15/2008 Page 6 of 9



State of Idaho

Rental / Full Maintenance

Attachment (A) to

Ricoh Master Pricing Agreement

Contract No.

SBP01194

					Cost per Copy	Combo CPC
	Equipment		Rental	Rental	Ricoh Service	Ricoh Service &
	and Options	Reorder	12 Monthly	36 Monthly	Supplies	Supplies
Category	Prices Per Unit	Number	Payments	Payments	Not Included	Per Copy Charge

(3) MP 2510SP and MP 3010SP include standard 2 x 500 Trays, 100 Sheet Bypass, Interchange, Duplex, Printer/Scanner SD Card, RPCS/PCL

Issued: 1/15/2008 Page 7 of 9



State of Idaho

Rental / Full Maintenance

Attachment (A) to

Ricoh Master Pricing Agreement

Contract No.

SBP01194

					Cost per Copy	Combo CPC
	Equipment		Rental	Rental	Ricoh Service	Ricoh Service &
	and Options	Reorder	12 Monthly	36 Monthly	Supplies	Supplies
Category	Prices Per Unit	Number	Payments	Payments	Not Included	Per Copy Charge

Printing, Scan to Email/HDD/Folder/URL, 384MB RAM & 40GB HDD

(4) MP 2510SPF and MP 3010SPF Mainframes include standard 2 x 500 Trays, 100 Sheet Bypass, Interchange, Duplex, Printer/Scanner SD Card,

RPCS & PCL Printing, Scan to Email/HDD/Folder/URL, 384MB RAM, 40GB HDD, 33.6 Kbps Fax Modem, Standard JBIG, Fax Forward to

HDD/Email/Folder, LAN Faxing, IP (T.38) Fax, and Internet Faxing.

(5) MP 2510SPi and MP 3010SPi Mainframes include standard 2 x 500 Trays, 100 Sheet Bypass, Interchange, Duplex, Printer/Scanner SD Card, RPCS & PCL Printin Scan to Email/HDD/Folder/URL, 384MB RAM, 40GB HDD, DocumentMall with 500MB/ 3 Year Storage.

- (6) All Mainframes Require Either Platen Cover Type 1018 or DF83
- (7) All Mainframes Require the PS490 Paper Bank, PS500 LCT or FAC20 Cabinet.
- (8) Bridge Unit Type 1027 Required when Installing SR820 or SR790 Finisher.
- (9) PT180 1 Bin Tray provides additional output tray to separate fax/print output from copy.
- (10) Hard Disk Drive Option 3030 enables Document Server, User Stamps, Reserve Copy, Magazine/Booklet Mode Preset Stamps (Additional Languages), Increases collation to 1,000, Increases Dial Keys to 2000 Must be added to MP 2510P & MP 3010P models to enable the Stored/Print/Locked/Hold Print features.
- $(11) Fax Option Type 3030 comes standard with 33.6 Kbps, 2 Second Transmission Speed, Standard JBIG. Standard 320 Pages. \\ 500 Dialogous Company Standard Standard$
- Keys. Requires Scanner/Printer Kit Type 3010 to enable LAN-Faxing, Fax Forwarding to Email, Internet Faxing (T.37) and IP Faxing (T.38)
- (12) G3 Interface Unit Type 3030 provides an additional fax modem. Two additional G3 lines can be added. Maximum of 3 lines available.
- $(13)\ 32 MB\ Memory\ increases\ Transmission\ Resolution\ to\ 400\ x\ 400\ dpi.\quad Also\ increases\ Page\ Memory\ to\ 2,240\ Pages.$
- (14) Printer Scanner Unit Type 3010 includes: Scanner/Printer SD Card, 256MB RAM & 40GB HDD PCL 6/5e & RPCS Printing, DeskTopBinder Lite Software and Scan to Email/HDD/Folder Capabilities.
- (15) Postscript Type 3010 required for Macintosh and Postscript environments.
- (16) In addition to standard USB and Ethernet (NIC) Interface one of the following can be installed; IEEE1284, Wireless LAN Interface (802.11b) or Bluetooth on all mainframes.
- (17) User Account Enhance Unit Type E increases account codes from 100 to 500
- (18) Copy Data Security Unit Type A prevents unauthorized copying of confidential documents. Cannot install fax option with this option installed. Must deactivate Scanning.
- (19) File Format Converter Required to convert format and drag to desktop documents stored via Copy or Print mode.
- (20)Data overwrite Security Overwrites Copy, Print, Scanner, Document Server, File Format Converter and Paperless Fax.
- (21) Fax Option Standard on SPF Configurations
- (22) Document Mall Extends DocumentMall Service for 2 years for 5 year leases on the MP 2510SPi and MP 3010SPi
- (23) Network enhancement kit Required to upgrade MP 2510P & MP 3010P models from RPCS printing to PCL Printing & Scanning.
- (24) Scan Print Kit Standard on SP, SPF & SPi Configurations
- (25) Cannot install the Internal Shift Sort option with either SR790 or SR820 Finisher.
- (26) Hard Disk Drive must be installed on the MP 2510P/MP 3010P to work with optional connectivity.

Ricoh Aficio MP 3500/MP 4500 Notes:

- (1) Plain version mainframes include standard 2 x 500 Trays, 50 Sheet Bypass, Duplex, 40GB HDD & 128MB RAM and 80-Sheet ARDF.
- (2) P version mainframes include standard 2 x 500 Trays, 50 Sheet Bypass, Duplex, Printer SD Card
- RPCS Network Printing, 384MB RAM, 40GB HDD, 10/100 Base TX NIC & USB 2.0 and 80-Sheet ARDF.
- (3) SP version mainframe include standard 2 x 500 Trays, 50 Sheet Bypass, Duplex,

Printer/Scanner SD Card, 384MB RAM, 40GB HDD, 10/100 Base TX NIC & USB 2.0 and 80-Sheet ARDF.

- (4) SPF version mainframes include standard 2 x 500 Trays, 50 Sheet Bypass, Duplex, Printer/Scanner SD Card
- $384 MB\ RAM,\ 40 GB\ HDD,\ 10/100\ Base\ TX\ NIC\ \&\ USB\ 2.0,\ 33.6\ Kbps\ Fax\ Modem,\ Standard\ JBIG,\ LAN\ FAX,$
- IP Fax, Internet Fax, Fax Forward to Email/HDD/Folder and 80-Sheet ARDF.
- (5) Spi version mainframes include standard 2 x 500 Trays, 50 Sheet Bypass, Duplex,
- Printer/Scanner SD Card, 384MB RAM, 40GB HDD, 10/100 Base TX NIC & USB 2.0, DocumentMall with 500MB/3 Year Storage. and 80-Sheet ARDF.
- (6) The PS530 Paper Tray (412541) or FAC-25 Cabinet (411491) is required with the SR790, SR880, and SR890 Finishers.
- (7) The Type 2045 (412553) Bridge Unit is required with the SR790, SR880, and SR890 Finishers.
- (8) 1 Bin Tray provides additional output tray to separate fax/print output from copy.
- (9) File Format Converter Type B required to convert format and drag to desktop documents stored via Copy or Print mode.
- $(10)\ Data Overrite\ Securuty\ Systems\ overwrites\ Copy,\ Print,\ Scanner,\ Document\ Server,\ File\ Format\ Converter\ and\ Paperless\ Fax.$
- (11) Fax Option includes 33.6Kbps, 2 Second Transmission Speed, Standard JBIG. Standard 320 Pages. 2,000 Dial Keys.



State of Idaho

Rental / Full Maintenance

Attachment (A) to

Ricoh Master Pricing Agreement

Contract No.

SBP01194

					Cost per Copy	Combo CPC
	Equipment		Rental	Rental	Ricoh Service	Ricoh Service &
	and Options	Reorder	12 Monthly	36 Monthly	Supplies	Supplies
Category	Prices Per Unit	Number	Payments	Payments	Not Included	Per Copy Charge

Requires Scanner/Printer Kit Type 4500 to enable LAN-Faxing, Fax Forwarding to Email, IP Faxing.

- (12) G3 Interface Unit provides an additional fax modem. Two additional G3 lines can be added. Maximum of 3 lines available.
- (13) 32MB Memory increases Transmission Resolution to 400 x 400 dpi. Also increases Page Memory to 2,240 Pages
- (14) Printer Scanner unit Type Kit Includes: Scanner/Printer SD Card, 10/100 Base TX NIC, USB 2.0, 256MB RAM,
- PCL 6/5e & RPCS Drivers and DeskTopBinder Lite Software.
- (15) Scanner Accesabilty Option required for Macintosh and Postscript environments.
- (16) In addition to USB and Ethernet (NIC) Interface one of the following can be installed;
- IEEE1284, Wireless LAN Interface (802.11b) or Bluetooth.
- (17) Copy Data Security prevents unauthorized copying of confidential documents. Cannot install fax option with this option installed.
- Must deactivate Scan to email/Folder/Twain.
- (18) 2-3 Hole Pucnh Kit provides 2 & 3 Hole Punch for the SR880 Multi-Tray Finisher
- (19)Document mall SPI Extends DocumentMall Service for 2 years for 5 year leases on the MP 3500SPi & MP 4500SPi
- (20) User Account Enhance Increases account codes from 100 to 500
- (21) Network Enhancement Kit required to upgrade MP 3500P & MP 4500P models from RPCS printing to PCL Printing & Scanning.

Aficio MP 5500/6500/7500 Series

- (1) Aficio MP 5500/6500/7500 Series Systems require a finisher or the copy tray.
- (2) Aficio MP 5500, 6500 and 7500 include 100-sheet single pass duplex document feeder, 256MB RAM, and 80GB HDD.
- (3) Aficio MP 5500 SP, 6500 SP, and 7500 SP include 100-sheet single pass duplex document feeder, 512MB RAM, 80GB HDD, and Scanner/Printer Unit (includes NIC (10/100BaseT Ethernet) and USB 2.0 interfaces standard).
- (4) Aficio MP 5500 SP, 6500SP, and 7500SP, and Scanner/Printer Kit Type 7500 include DeskTopBinder Lite (version 5.0), SmartDeviceMonitor
- for Admin & Client, TWAIN drivers, RPCS, PCL5e, PCL6 (XL) drivers.
- (5) RT43 LCT has 4,000 Sheet capacity LCT (8 1/2" x 11").
- (6) SR970 Finisher is a 3,000-sheet finisher with 50-sheet staple capacity.
- $(7) SR4000 \ Booket \ Finisher \ is \ a \ 2,000-sheet \ finisher \ with \ 50-sheet \ staple \ capacity \ and \ 15-sheet \ saddle-stitch \ capacity.$
- (8) SR842 Finisher is a 3,000-sheet finisher with 100-sheet staple capacity.
- $(9)\ 2/3 Hole\ Punch\ Kit\ Type\ 3260\ is\ compatible\ with\ SR970\ and\ SR4000\ Finishers.\ 2\ \&\ 3\ hole\ punch\ (user-selectable).$
- (10) 2-3 Hole Punch Kit Type 3260 and 2/3-Hole Punch Kit Type 1075 cannot hole punch and Z-fold at the same time.
- (11) 2/3-Hole Punch Kit Type 1075 is compatible with SR842 Finisher only. 2 & 3 hole punch (user-selectable).
- (12) Cover Interposer Type 3260 is compatible with all finishers.
- $(13)\ A ficio\ MP\ 5500/6500/700\ Series\ cannot\ be\ configured\ with\ both\ the\ Interposer\ and\ the\ Mailbox.$
- $(14)\ 8\ 1/2"\ x\ 14"\ Tray\ Type\ 1075\ converts\ RT43\ (LCT)\ \ to\ 8\ 1/2"\ x\ 14"\ or\ 8\ 1/2"\ x\ 11"\ SEF\ (2,500\ Sheets).\ Requires\ RT43.$
- (15) Tab Sheet Holder Typer 3260 required for tab copy/print. Compatible with all finishers. Tab Sheet Holder can be used in second or third tray (but not both).
- (16) A3/11" x 17" Tray Unit Type 1075 converts the standard tandem tray (Tray 1) to hold 11" x 17", 8 1/2"x14" or 8 1/2"x11"paper 1.000-sheet capacity).
- (17) Output Jogger Unit Type 3260 is compatible with the SR970 and SR4000 Finishers. Neatly arranges output.
- (18) Output Jogger Unit Type 1075 is compatible with the SR842 Finisher only. Neatly arranges output.
- (19) File Format Converter Type C required for retrieving files from Document Server that were stored via Copy or Print Function.
- (20) With Z-Folding Unit Type ZF4000, each Z-folded sheet counts as 10 sheets.
- (21) Z-Folding Unit Type ZF4000 is compatible with SR4000 and SR842 Finishers. Not compatible with SR970 Finisher.
- (22) USB Host Interface Type A provides USB interface for third-party devices such as IC card readers.
- (23) DataOverwriteSecurity Unit Type C Hard is a disk drive overwrite security option
- (24) BK5010 Production Booklet Maker requires SR842 Finisher. Jogger Unit is recommended.
- (25) BK5010 Cover Feeder, BK5010 Trimmer, BK5010 Book Folder, and BK5010 Rail Unit require the BK5010 Booklet Maker.
- (26) BK5010 Book Folder requires the Trimmer.
- (27) GBC StreamPunch requires the purchase of at least one die set.
- (28) It is not recommended to install the Punch Unit when device is configured with GBC StreamPunch.
- (29) Scanner/Printer Kit Type 7500 includes 256MB RAM upgrade.
- (30) PostScript Unit Type 3 Type 7500 required for PostScript and Macintosh printing.
- (31) With the Copy Data Security Unit Type C, documents which are printed with the "Data Security for Copying" Unauthorized Copy Control
- RPCS setting, and copied on a device equipped with the Security Unit Type C option, will be grayed out.
- (32) Browser Unit Type B is an option for ScanRouter EX Professional/Enterprise. Provided as an SD card.
- (33) 9-bin Mailbox Type CS391 is compatible with SR970 and SR4000 Finishers only. Not compatible with SR842 Finisher.
- (34) Of the following interface options, only one may be installed: IEEE 1284, IEEE1394 (Firewire),

Issued: 1/15/2008 Page 9 of 9



State of Idaho

Rental / Full Maintenance

Attachment (A) to

Ricoh Master Pricing Agreement

Contract No.

SBP01194

					Cost per Copy	Combo CPC
	Equipment		Rental	Rental	Ricoh Service	Ricoh Service &
	and Options	Reorder	12 Monthly	36 Monthly	Supplies	Supplies
Category	Prices Per Unit	Number	Payments	Payments	Not Included	Per Copy Charge

IEEE 802.11b (Wireless LAN), or Bluetooth Interface Type 3245.

 $(35) \ Of the following two interfaces, only one may be installed: 10/100 BaseT \ Ethernet \ or \ Gigabit \ Ethernet.$